GREENCREATIVE

Bringing You the Latest in LED Technology

FILAMENT LED SERIES

FILAMENT LED SERIES PRODUCT FEATURES

FILAMENT LED SERIES

The GREEN CREATIVE Filament LED Series features a wide variety of vintage style bulbs that use the latest in LED technology. Each filament bulb uses a high-quality LED package which results in a longer lifetime and higher efficacy.

MICRO-DESIGNED DRIVER - FULLY DIMMABLE

ENERGY STAR

DIMMABLE

The GREEN CREATIVE filament lamps feature a micro-designed driver that provides excellent dimming performance without the need for a heat sink. Eligible products are currently pending ENERGY STAR® certification.

DESIGNED FOR ALL DECORATIVE APPLICATIONS

FILAMENT LED SERIES

A19 Filament LED

- Vintage A-lamp look
- A19 60W replacement clear & silver bowl
- A19 40W replacement clear & amber
- Fully omnidirectional 330° beam angle

Globe Filament LED

- Vintage Globe look
- G40 40W replacement clear
- G25 40W replacement clear, amber & silver bowl
- Fully omnidirectional 330° beam angle

Candle Filament LED

- Vintage Candle look
- B10 & B11 40W replacement clear
- BA10 40W replacement amber
- Fully omnidirectional 320° beam angle

ST19 & T10 Filament LED

- Vinage look
- ST19 40W replacement amber
- T10 40W replacement amber
- Fully omnidirectional 330° beam angle

SPECIFICATIONS

	Model	Product	CCT	Power (W)	Lumens (lm)	LPW	Beam Angle	CRI (typ.)	Dim	Life (hrs)	Voltage	Finish	ENERGY STAR
A19 7.5W	7.5FA19DIM/827	57891	2700K	7.5	800	107	330°	80	Yes	15,000	120V	Clear	May
 A19 7.5W	7.5FA19DIM/827/SB	97825	2700K	7.5	700	93	N.A.	80	Yes	15,000	120V	Silver Bowl	N.A.
A19 4.5W	4.5FA19DIM/827	57889	2700K	4.5	450	100	330°	80	Yes	15,000	120V	Clear	May
A19 4.5W	4.5FA19DIM/824/A	57890	2400K	4.5	380	84	330°	80	Yes	15,000	120V	Amber	N.A.
G40 5W	5FG40DIM/827	57945	2700K	5	430	86	330°	80	Yes	15,000	120V	Clear	N.A.
G25 4.5W	4.5FG25DIM/827	57893	2700K	4.5	450	100	330°	80	Yes	15,000	120V	Clear	Apr.
G25 4.5W	4.5FG25DIM/827/SB	97826	2700K	4.5	400	89	N.A.	80	Yes	15,000	120V	Silver Bowl	N.A.
G25 4.5W	4.5FG25DIM/824/A	57894	2400K	4.5	380	84	330°	80	Yes	15,000	120V	Amber	N.A.
B10 3.5W	3.5FB10DIM/827	57886	2700K	3.5	320	91	320°	80	Yes	15,000	120V	Clear	✓
B11 3.5W E26	3.5FB11DIM/827/E26	57888	2700K	3.5	320	91	320°	80	Yes	15,000	120V	Clear	May
BA10 3.5W	3.5FBA10DIM/824/FT/A	57887	2400K	3.5	280	80	320°	80	Yes	15,000	120V	Amber	N.A.
ST19 5W	5FST19DIM/824/A	57892	2400K	5	380	76	330°	80	Yes	15,000	120V	Amber	N.A.
T10 5W	5FT10DIM/824/A	57946	2400K	5	380	76	330°	80	Yes	15,000	120V	Amber	N.A.

* Suitable for damp locations

GREEN CREATIVE
1200 Bayhill Drive, Suite 220
San Bruno, CA 94066

Tel / Fax: (866) 774-5433
info@greencreative.com
www.greencreative.com

/ GREENCREATIVELED
/ GClightingLED
/ GREEN CREATIVE